



Contact synchronization

ADITO Software GmbH

From version 2026.10.0 | October 2026





Screenshots

The UX design of ADITO is continuously optimised for you. Therefore, there may be deviations in the screenshots.





Agenda

- [Why](#)
- [Prerequisites](#)
 - [Connection to Exchange](#)
 - [Settings in ADITO Designer](#)
- [Process](#)
 - [Synchronization processes](#)
 - [Settings in the Manager](#)
 - [Notification process](#)
- [Application](#)
 - [Synchronize contacts](#)
 - [Remove contacts from sync.](#)
 - [Exchange view](#)
 - [Dashlet "My synchron. Records"](#)
- [Administration](#)

Click on the ADITO A in the document to return to the agenda.


Contact synchronization with Exchange

Why?


- Users would like to have contacts that are managed in ADITO also available in their Exchange account (e.g. as a contact in Outlook).
- Data synchronization is a good way to avoid duplicate maintenance work. A server process is available for this purpose, which carries out the synchronization between the two systems.
- This is particularly important for mobile devices, as no telephone system is connected here. After synchronization, you can therefore also see which customer (ADITO contact) is calling in this use case.

Contact synchronization with Exchange


Select saved filters for synchronization



Synchronization processes are running



Contact available in Exchange



Prerequisites


Contact synchronization with Exchange

Prerequisites

- **ADITO must be connected to Exchange.**
- User must have an Exchange account.
- Microsoft Graph API must be configured.

Contact synchronization with Exchange

Settings in ADITO Designer: Configuration




For more information on instance configurations and other technical topics, see the [Modul README](#).

The configuration options are already preset.

Contact synchronization with Exchange

Settings in ADITO Designer: "Enable" or "Disable" custom parameters



Contact synchronization with Exchange

Settings in ADITO Designer: Connection to „MicrosoftGraph" Authentication Provider

The information is provided by the admin and is entered here.

Contact synchronization with Exchange

Settings in ADITO Designer: User settings



Please check and adjust if necessary. Especially if the users were created manually via ADITO and the Exchange alias was subsequently configured.

System: default: User

A screenshot of the 'Properties' window in ADITO Designer. The window has tabs for 'Properties', 'Extended', 'Internal', and 'Dynamic'. The 'Properties' tab is selected. A red rectangle highlights the 'calendarID' and 'email' fields, which both contain placeholder text like '@...com'. A blue callout bubble points to the 'email' field with the text 'Enter the e-mail address of the Exchange'. Other visible fields include 'isActive' (checked), 'isBlocked', 'lastModified', 'name', 'roleNames' (set to '[INTERNAL_ADMINISTRATOR, INTER...]', 'title' (set to 'Admin'), a 'Security' section with 'lastLogin' (17.06.2021 13:52), 'lastLogout' (17.06.2021 14:26), 'password' (masked with '***'), 'passwordChanged' (01.08.2018 13:16), and 'passwordHistory', and a 'Personal' section with 'contactID' (c7ddf982-0e5...) and 'description'.

Process

Contact synchronization with Exchange

How does the synchronization process work?

- Contacts/companies that are taken into account by a filter are synchronized if they have been included in the synchronization.
- A maximum of 4 numbers (2 telephone and 2 mobile numbers) are synchronized per contact.
- Changes to already synchronized data are transferred from ADITO to Exchange. Changes made in Exchange are not transferred to ADITO. As soon as another change is made to this contact in ADITO, it overwrites the entry in Exchange.
- Contacts that are no longer flagged (filter has been removed from synchronization) are no longer synchronized and are deleted from the Exchange contacts folder.
- Contacts that are removed from the Exchange contacts folder are recreated by the process. Data records can only be removed from synchronization in ADITO.

Contact synchronization with Exchange

Which processes are involved in synchronization?

Contact Sync - manage sync table

In this process, **changes*** are detected and made available for synchronization.

* Possible changes

- New saved filters are added to the synchronization.
- Filters are deleted from the synchronization.
- New records in already synchronized filters are entered.

Synchronize to Exchange

In this process, the data provided by the "Contact Sync - manage sync table" process is synchronized with Exchange.

If too many requests are sent to MS Graph, the administrator is informed about the status of the throttling process.



The configuration of the cyclically running processes

- **"Contact Sync - manage sync table"** (Internal name: manageContact_SyncTable_serverProcess)
- **"Synchronize to Exchange"** (Internal name: GraphSyncToExchange_serverProcess) can be made in the Manager.

Information on configuration can be found on the following slides.

Contact synchronization with Exchange

Configuration in the ADITO Manager: „Contact Sync – manage sync table“

Contact Sync - manage sync table
manageContactSyncTable_serverProcess
Inactive

Start interval | **Edit interval** | Stop interval | Manual execution

Details
Start time
Execution time
Last execution date: Feb 17, 2026, 9:30 AM
Last execution status

Interval configuration
Name: manageContactSyncTable_serverProcess
Description
Start date: Feb 17, 2026, 12:00 AM
Time zone: Europe/Berlin
Interval: 10
Unit: Minutes
User: Admin
Thread priority: Normal

Process histories
Open message | Filter | Calendar | Process histories: 25
Process name | Server | Execution date | Started by | Closing date | Duration in MS | Short message
Successful (1)

Configuration
Name: Contact Sync - manage sync table
Interval: 10
Unit: Minutes
Start date: 2/17/2026 12:00 AM
Time zone: Europe/Berlin
Thread priority: Normal
Execute on: One server of the cluster
User: Admin
Server: ☒ dev ☐ dev-bg
Execute directly: ☐
Keep JDito instance: ☐
Description: Description

A user **must** be specified. E.g. Admin, an Exchange Sync user could be defined for this if necessary.

Contact synchronization with Exchange

Configuration in the ADITO Manager: "Synchronize to Exchange"

The screenshot displays the ADITO Manager interface for configuring a process named "Synchronize to Exchange". The interface is divided into several sections:

- Process details:** Shows the process name "Synchronize to Exchange", its ID "GraphSyncToExchange_serverProcess", and its status "Inactive". Buttons for "Start interval", "Stop interval", "Edit interval" (highlighted with a red box), and "Manual execution" are present.
- Details:** A section for viewing process details, currently empty.
- Interval configuration:** A section for configuring the process interval. It includes fields for Name, Description, Start date, Time zone, Interval, Unit, User, and Thread priority.
- Process histories:** A section for viewing the process history. It includes a table with columns for Process name, Server, Execution date, Started by, Closing date, Duration in MS, and Short message. A "Filter" button is also present.
- Configuration panel:** A panel on the right side of the interface for configuring the process. It includes fields for Name, Interval, Unit, Start date, Time zone, Thread priority, Execute on, User, and Server. The "Server" field is set to "dev".

The "Interval configuration" section shows the following details:

Field	Value
Name	GraphSyncToExchange_serverProcess
Description	
Start date	Feb 3, 2026, 12:00 AM
Time zone	Europe/Berlin
Interval	10
Unit	Minutes
User	Admin
Thread priority	Normal

The "Process histories" section shows a table with the following data:

Process name	Server	Execution date	Started by	Closing date	Duration in MS	Short message
Successful (1)						

The "Configuration panel" shows the following settings:

Field	Value
Name	Synchronize to Exchange
Interval	10
Unit	Minutes
Start date	2/3/2026
Time zone	Europe/Berlin
Thread priority	Normal
Execute on	One server of the cluster
User	Admin
Server	☒ dev ☐ dev-bg
Execute directly	☐
Keep JDito instance	☐
Description	Description

Contact synchronization with Exchange


Which processes are involved in synchronization?

Send log notification

The process checks daily whether a new critical entry (priority = high) has been written in the synchronization process for contact synchronization with Exchange.

If such an entry exists, the administrators (role: INTERNAL_Administrator) are informed via notification.

By default, the process (sendEwsLogNotification_serverProcess) sends notifications at 24-hour intervals when activated.



Contact synchronization with Exchange

Configuration in the ADITO Manager: „Send ews log notification“

The screenshot displays the ADITO Manager interface for configuring a process named "Send ews log notification". The interface is divided into three main sections: a left sidebar, a central process history table, and a right configuration panel.

Left Sidebar:

- Process Overview:** Shows the process name "Send ews log notification" and its ID "sendEwsLogNotification_serverProcess". It indicates the process is "Inactive". Buttons for "Start interval", "Edit interval", "Stop interval", and "Manual execution" are available.
- Details:** A section for monitoring the process, including fields for Start time, Execution time, Last execution date, and Last execution status.
- Interval configuration:** A section for configuring the process interval, including fields for Name, Description, Start date, Time zone, Interval, Unit, User, Thread priority, Execute on, Keep JDito instance, and Server.

Central Process History Table:

The table is titled "Process histories" and shows a list of process executions. The columns are: Process name, Server, Execution date, Started by, Closing date, Duration in MS, and Short message. The table is currently empty, displaying "No data present".

Right Configuration Panel:


The panel shows the configuration for the "Send ews log notification" process. The settings are as follows:

- Name: Send ews log notification
- Interval: 1
- Unit: Days
- Start date: 2/3/2026 12:00 AM
- Time zone: Europe/Berlin
- Thread priority: Normal
- Execute on: One server of the cluster
- User: Admin
- Server: ☒ dev, ☐ dev-bg
- Execute directly: ☐
- Keep JDito instance: ☐
- Description: Description

Application

Synchronize contacts with Exchange

Procedure of the user in the contexts or dashlets



Save filter for contact/company

Create saved filters

To synchronize contacts or companies with Exchange, the first step is to filter the relevant contacts/companies and save these filters.

As soon as a filter is saved, it is available for the next step in the "Contact synchronization" context.

The screenshot displays a contact management application interface. The main area shows a list of contacts with columns for Picture, Salutation, Title, Firstname, Lastname, Company, and email. The contacts listed are:

Picture	Salutation	Title	Firstname	Lastname	Company	Email
CE	Mr.		Carl E.	Bush	Lockman LLC	bush@l
CD	Mr.		Cameron	Doyle	Glob Group	doyle@
MF	Mrs.		Matilda	Freeman	Glob Group	freema
JF	Mrs.		Jennifer	Frost	Fahey, Spencer and Armstrong	jennife
CM	Mr.	PhD	Christopher	Marsh	Glob Group	marsh@
MR	Mrs.		Maya	Read	Lockman LLC	read@l
SW	Mr.		Steven	Wallinger	Parker & Jenkins	

The right sidebar contains a 'Filter' section with the following options:

- Grouping: Group by (dropdown)
- Condition: Join conditions by: all (selected), one (dropdown). Conditions include: Status not equal "Inactive", District equal "Großbritannien".
- Buttons: + Add filter condition, Open extended filter conditions
- Saved filters: Save new filter (button), Area management, Contact persons, Employees - Industrial Steel, Colleagues - meineFirma (all with vertical ellipsis icons)
- Last filters: (dropdown)
- Apply filter: (button)

Save filter for contact/company

EXCEPTION: "Favorite group" filter

Even if the filter "Favorite group equals ..." is saved to filter all favorites/tags, it is **not** displayed in the context "Contact synchronization".

Contact synchronization

Filter content...

Add to synchronization Remove from synchronization

	Date	Title	Synchronization status	Information
☐	▼ Contact (4)			
☐	Feb 18, 2026, 1:04 PM	Collegues - meineFirma	✕	
☐	Feb 18, 2026, 1:23 PM	Contact persons	✕	
☐	Feb 18, 2026, 1:25 PM	Area management	✕	
☐	Feb 18, 2026, 1:04 PM	Employees - Industrial Steel	✕	
☐	▼ Organisation (3)			
☐	Feb 17, 2026, 9:35 AM	Classification: A	✕	
☐	Feb 18, 2026, 1:35 PM	Companies in London	✕	
☐	Feb 18, 2026, 1:34 PM	Classification: B	✕	

Filter sidebar:

- Condition
- Join conditions by: all one
- Status not equal "Inaktiv" x
- Favoritegroup equal "Default" x
- + Add filter condition
- Open extended filter conditions
- Saved filters**
- Save new filter
- Favorites
- Companies in London
- Classification: B
- Classification: A
- Last filters
- Apply filter

Context "Contact synchronization"

Listing of all saved filters from contact and company

buttons to add or remove filters for synchronization.

Contact synchronizations: 7

☐	Date	Title	Synchronization status	Information
☐	▼ Contact (4)			
☐	FI Feb 18, 2026, 1:04 PM	Colleagues - meineFirma	✗	
☐	FI Feb 18, 2026, 1:23 PM	Contact persons	↻	
☐	FI Feb 18, 2026, 1:25 PM	Area management	↻	
☐	FI Feb 18, 2026, 1:04 PM	Employees - Industrial Steel	✗	
☐	▼ Organisation (3)			
☒	FI Feb 17, 2026, 9:35 AM	Classification: A	✗	
☐	FI Feb 18, 2026, 1:35 PM	Companies in London	↻	
☐	FI Feb 18, 2026, 1:34 PM	Classification: B	✗	

Icon shows whether the data records from the filter are part of the synchronization ↻, or not ✗.

Max 7200 data records per filter

Search greater 7200, sync. not possible

Select saved filters for synchronization

Add contacts/companies to synchronization

The screenshot shows the 'Contact synchronization' interface. At the top, there is a navigation bar with a hamburger menu, home, calendar, notifications (99+), search, and star icons. The title 'Contact synchronization' is in the center, and there are three action buttons on the right: a plus sign, a refresh icon, and a user profile icon labeled 'TA'.

Below the navigation bar, there are two buttons: 'Add to synchronization' (highlighted with a red box) and 'Remove from synchronization'. A callout box points to the 'Add to synchronization' button with the text: 'Adds the selected filter(s) to the synchronization.'

The main content area displays a list of filters. On the right side of the list, it says 'Contact synchronizations: 7'. Below this, there are two tabs: 'Synchronization status' and 'Information'. The 'Information' tab is selected, and a hamburger menu icon is to its right.

	Date		
☐	▼ Contact (4)		
☐	FI Feb 18, 2026, 1:04 PM	Colleagues - meineFirma	✕
☐	FI Feb 18, 2026, 1:23 PM	Contact persons	↻
☐	FI Feb 18, 2026, 1:25 PM	Area management	↻
☐	FI Feb 18, 2026, 1:04 PM	Employees - Industrial Steel	✕
☐	▼ Organisation (3)		
☒	FI Feb 17, 2026, 9:35 AM	Classification: A	
☐	FI Feb 18, 2026, 1:35 PM	Companies in London	
☐	FI Feb 18, 2026, 1:34 PM	Classification: B	



If new data records are entered in the system and fall under one of the saved filters, the new data is synchronized at the same time.

Select saved filters for synchronization

Remove contacts/companies from synchronization

The screenshot shows the 'Contact synchronization' interface. At the top, there is a navigation bar with a hamburger menu, home icon, calendar icon, a notification badge with '99+', a search icon, a star icon, and a 'Contact synchronization' dropdown. On the right of the navigation bar are three circular icons: a plus sign, a refresh icon, and a user profile icon labeled 'TA'.

Below the navigation bar, there are two buttons: 'Add to synchronization' and 'Remove from synchronization'. The 'Remove from synchronization' button is highlighted with a red box. A callout box points to this button with the text: 'Removes the selected filter(s) from the synchronization.'

The main content area displays a list of filters. The filters are grouped into 'Contact (4)' and 'Organisation (3)'. Each filter entry includes a checkbox, a filter icon (FI), a timestamp, a title, and a synchronization status icon.

	Date	Title	Synchronization status	Information
☐	▼ Contact (4)			
☐	FI Feb 18, 2026, 1:04 PM	Colleagues - meineFirma	✗	
☐	FI Feb 18, 2026, 1:23 PM	Contact persons	↻	
☐	FI Feb 18, 2026, 1:25 PM	Area management	↻	
☐	FI Feb 18, 2026, 1:04 PM	Employees - Industrial Steel	✗	
☐	▼ Organisation (3)			
☒	FI Feb 17, 2026, 9:35 AM	Classification: A	✗	
☐	FI Feb 18, 2026, 1:35 PM	Companies in London	↻	
☐	FI Feb 18, 2026, 1:34 PM	Classification: B	✗	

Contact synchronizations: 7

Contact available in Exchange

The screenshot displays the Microsoft Outlook application interface. At the top, there is a blue header bar with the Outlook logo and a search bar. Below this, a navigation pane on the left shows various folders and options, including 'New Contacts', 'Favourites', 'Your contacts', 'Your contact lists', 'Deleted', 'Folders', and 'Kontakte'. The 'ADITO' folder is selected, showing a list of contacts. The main pane on the right displays the detailed view of the selected contact, Mr. Carl E. Bush. This view includes a large red circular profile picture with the letter 'M', the contact's name, title, and company. Below this, there are tabs for 'Overview', 'Contact', 'Files', and 'Messages'. The 'Contact' tab is active, showing contact information such as email, company, job title, department, and business address. An 'Edit contact' button is visible at the bottom right of the contact details.

Outlook Search contacts, directory, and groups

Home View Help

New contact Edit Delete Restore Add to contacts Add to favourites Add to list Move Add members Invite others Manage contacts

New Contacts Turn on to start using the new Contacts features. [Learn more](#)

Favourites

Your contacts

Your contact lists

Deleted

Folders

Kontakte

ADITO

Create new folder

Directory

Go to Groups

ADITO By surname

- Mr. Carl E. Bush
bush@lockman.com
- Mr. Cameron Doyle
doyle@globgroup.com
- Mrs. Matilda Freeman
freeman@globgroup.com
- Mrs. Jennifer Frost
jenniferfrost@fsa.org
- Glob Group
contact@globgroup.com
- Mr. Christopher Marsh
marsh@globgroup.com
- Mrs. Maya Read
read@lockman.com
- Mr. Steven Wallinger
Parker & Jenkins

Mr. Carl E. Bush
External
Geschäftsführer • Lockman LLC

Call

Overview Contact Files Messages


Contact information

Email bush@lockman.com	Company Lockman LLC	Job title Geschäftsführer
Department Geschäftsleitung	Business address 21 London Road Southampton England SO15 2...	

Edit contact

"My synchronized data records" dashlet

DashletStore: Category "Contact synchronization"



The dashlet can be used to view the current status of synchronization or to check why a contact is not yet available in Outlook.

"My synchronized data records" dashlet

Overview of the synchronized data records (company/contact)

Meine synchronisierten Datensätze

Contact	Context	Street	Zip	City	Country	Synchronized with Outlook	Will be updated	Will be deleted
☐ MR Maya Read Lockman LLC	Contact	21 London Road	SO15 2AD	Southampton	GB	Yes	No	No
☐ CE Carl E. Bush Lockman LLC	Contact	21 London Road	SO15 2AD	Southampton	GB	Yes	No	No
☐ CM Christopher Marsh Glob Group	Contact	32-40 Blackfriars Road	SE1 8NW	London	GB	Yes	No	No
☐ SW Steven Wallinger Parker & Jenkins	Contact	26-40 Kensington High Street	W8 4PE	Royal Borough of Kensington and Chelsea	GB	Yes	No	No
☐ MF Matilda Freeman Glob Group	Contact	32-40 Blackfriars Road	SE1 8NW	London	GB	Yes	No	No
☐ CD Cameron Doyle Glob Group	Contact	32-40 Blackfriars Road	SE1 8NW	London	GB	Yes	No	No
☐ JF Jennifer Frost Fahey, Spencer and Armstrong	Contact	69 New Street	B2 4DU	Birmingham	GB	Yes	No	No
☐ GG Glob Group	Organisation	32-40 Blackfriars Road	SE1 8NW	London	GB	Yes	No	No

The contact type indicates whether it is a contact or a company data record.

Here you can see whether something has already been synchronized or whether something is being updated or deleted due to a change.

Administration

Administration

Overview

The specialist administrator can find detailed monitoring of all synchronization processes in the **contact synchronization dashboard**.


He has an overview of:

- all pending synchronizations to Outlook
- the entire saved synchronized filters of all users
- all synchronized data records
- All histories and the status of contact synchronization, including errors and warnings

It can also use filters to check why a data record has not yet been synchronized and can intervene by means of actions.

Contact synchronization dashboard

DashletStore: Category "Contact synchronization"



The dashlets used in the contact synchronization dashboard can be found in the DashletStore in the "Contact synchronization" category.

The dashlets are only available for the "Admin" role.

3

 We recommend arranging the dashlets as shown here.

☐	Admin	Feb 18, 2026, 1:43 PM	{\"title\":\"Area management\",\"timestamp\":\"2026-02-18T13:25:29.065306753\",\"search\":{\"type\":\"group\",\"operator\":\"AND\",\"childs\":{\"type\":\"row\"}}
☐	Admin	Feb 18, 2026, 2:32 PM	{\"title\":\"Contact persons\",\"timestamp\":\"2026-02-18T13:23:28.358223965\",\"search\":{\"type\":\"group\",\"operator\":\"AND\",\"childs\":{\"type\":\"row\"}}

	Date	Priority	Type	User	Info	Errc
☐	16.02.2026 14:52:42	High	Manage sync table	hsmith	Error	Z-0-N
☐	16.02.2026 14:52:42	High	Manage sync table	pstrauss	Error	Z-0-N-11
☐	16.02.2026 14:52:42	High	Manage sync table	ijammeh	Error	Z-0-N-11
☐	16.02.2026 14:52:42	High	Manage sync table	slustig	Error	Z-0-N-11

Pending synchronizations to Outlook

Contact	Context	Street	Zip	City	Country	Synchronized with Outlook
☐ AT Andreas Tannenbaum Industrial Steel AG	Contact	Rathausmarkt 1	20095	Hamburg	DE	No
☐ HW Hans Weingartner Meister Messebau GmbH	Contact	Aitrachstraße 7	84130	Dingolfing	DE	No
☐ KD Klaudia Daecher JPM Touristik GmbH	Contact	Landshuter Straße 3	84144	Geisenhausen	DE	No
☐ PB Peter Bornheimer Bornheimer Maschinenfabrik GmbH	Contact	Peter-Fryns-Platz	53332	Bornheim	DE	No
☐ SS Sarah Schäfer Schäferland Handelswelt GmbH	Contact	Oskar-von-Miller-				

All data records that the **Contact Sync - manage sync table** process has recorded with regard to a change and that must now be synchronized with the **Synchronize to Exchange** process are listed.

Synchronized searches

Show filter result Remove synchronizations

User Creation date Information Filter

☐ Admin	Feb 18, 2026, 1:43 PM	{ "title": "Area management", "timestamp": "2026-02-18T13:25:29.065306753", "search": { "type": "group", "operator": "AND", "childs": [{ "type": "r
☐ Admin	Feb 18, 2026, 2:32 PM	{ "title": "Contact persons", "timestamp": "2026-02-18T13:23:28.358223965", "search": { "type": "group", "operator": "AND", "childs": [{ "type": "rov

Synced searches: 2

All synchronized datasets

Contact	Context	Street	Zip	City	Country	Synchronized with Outlc
☐ AT Andreas Tannenbaum Industrial Steel AG	Contact	Rathausmarkt 1	20095	Hamburg	DE	No
☐ HW Hans Weingartner Meister Messebau GmbH	Contact	Aitrachstraße 7	84130	Dingolfing	DE	No
☐ KD Klaudia Daecher JPM Touristik GmbH	Contact	Landshuter Straße 3	84144	Geisenhausen	DE	No
☐ PB Peter Bornheimer Bornheimer Maschinenfabrik GmbH	Contact	Peter-Fryns-Platz	53332	Bornheim	DE	No
☐ SS Sarah Schäfer Schäferland Handelswelt GmbH	Contact	Oskar-von-Miller-Straße 6	97424	Schweinfurt	DE	No

Pending datasets

1 Will be deleted

1 Will be updated

18/02/2026 14:20
Last process start: synchronize in ADITO

18/02/2026 14:20
Last process start: synchronize to Outlook

Contact sync log

Date	Priority	Type	User	Info	Errc
☐ 16.02.2026 14:52:42	High	Manage sync table	hsmith	Error	Z-0-N-11-S
☐ 16.02.2026 14:52:42	High	Manage sync table	pstrauss	Error	Z-0-N-11-S
☐ 16.02.2026 14:52:42	High	Manage sync table	ijammeh	Error	Z-0-N-11-S
☐ 16.02.2026 14:52:42	High	Manage sync table	slustig	Error	Z-0-N-11-S

All saved filters of all users that are synchronized are displayed.

Manual resynchronization of the user

The filters can be viewed.

Delete all synchronizations for this user

Do you really want to delete all synchronizations for this user?

The synchronization in ADITO will be deleted and the user must manually add it again.

The outlook contacts must be cleared manually.

Yes

No

Pending synchronizations to Outlook

Contact	Context	Street	Zip	City	Country	Synchronized with Outlook
AT Andreas Tannenbaum Industrial Steel AG	Contact	Rathausmarkt 1	20095	Hamburg	DE	No
HW Hans Weingartner Meister Messebau GmbH	Contact	Aitrachstraße 7	84130	Dingolfing	DE	No
KD Klaudia Daecher JPM Touristik GmbH	Contact	Landshuter Straße 3	84144	Geisenhausen	DE	No
PB Peter Bornheimer Bornheimer Maschinenfabrik GmbH	Contact	Peter-Fryns-Platz	53332	Bornheim	DE	No
SS Sarah Schäfer Schäferland Handelswelt GmbH	Contact	Oskar-von-Miller-Straße 6	97424	Schweinfurt	DE	No

Synchronized searches

Show filter result Remove synchronizations

Filter

Synced searches: 2

User Creation date Information Filter

Admin	Feb 18, 2026, 1:43 PM	{ "title": "Area management", "timestamp": "2026-02-18T13:25:29.065306753", "search": { "type": "group", "operator": "AND", "childs": [{ "type": "r
A		act persons", "timestamp": "2026-02-18T13:23:28.358223965", "search": { "type": "group", "operator": "AND", "childs": [{ "type": "rov

All synchronized data records are displayed.

All synchronized datasets

Contact	Context	Street	Zip	City	Country	Synchronized with Outlc
AT Andreas Tannenbaum Industrial Steel AG	Contact	Rathausmarkt 1	20095	Hamburg	DE	No
HW Hans Weingartner Meister Messebau GmbH	Contact	Aitrachstraße 7	84130	Dingolfing	DE	No
KD Klaudia Daecher JPM Touristik GmbH	Contact	Landshuter Straße 3	84144	Geisenhausen	DE	No
PB Peter Bornheimer Bornheimer Maschinenfabrik GmbH	Contact	Peter-Fryns-Platz	53332	Bornheim	DE	No
SS Sarah Schäfer Schäferland Handelswelt GmbH	Contact	Oskar-von-Miller-Straße 6	97424	Schweinfurt	DE	No

Pending datasets

1 Will be deleted

Filters can be used to query further information, e.g. by user

Condition

Join conditions by: all one

reset

New filter condition

Property	Operator
Country	
Firstname	
Lastname	
Organisation	
Salutation	
Street	

Contact sync log

Date	Priority	Type	User	Info	Errc
16.02.2026 14:52:42	High	Manage sync table	hsmith	Error	Z-0-N
16.02.2026 14:52:42	High	Manage sync table	pstrauss	Error	Z-0-N-11-S
16.02.2026 14:52:42	High	Manage sync table	ijammeh	Error	Z-0-N-11-S
16.02.2026 14:52:42	High	Manage sync table	slustin	Error	Z-0-N-11-S

The dashlet serves as an overview:

- How many data records are deleted.
- How many are updated.
- How many are inserted.
- And when the processes were last run in order to have this information directly available even without ADITO Manager.

Pending datasets

1

Will be deleted

1

Will be updated

19

Will be inserted

18/02/2026 14:20

Last process start: synchronize in ADITO

18/02/2026 14:20

Last process start: synchronize to Outlook

Contact sync log

Date	Priority	Type	User	Info	Errc
16.02.2026 14:52:42	High	Manage sync table	hsmith	Error	Z-0-N
16.02.2026 14:52:42	High	Manage sync table	pstrauss	Error	Z-0-N-11-S
16.02.2026 14:52:42	High	Manage sync table	ijammeh	Error	Z-0-N-11-S
16.02.2026 14:52:42	High	Manage sync table	slustig	Error	Z-0-N-11-S

Display comparison:

ADITO Manager

- The **last runs** from the cyclical server run are displayed.
- The **manually** triggered runs are also displayed.

The screenshot shows the ADITO Manager interface. On the left, a card for 'Synchronize to Exchange' (GraphSyncToExchange_serverProcess) is shown as 'Inactive'. It has buttons for 'Start interval', 'Edit interval', 'Stop interval', and 'Manual execution'. Below this is a 'Details' section showing 'Start time', 'Execution time', 'Last execution date' (Feb 18, 2026, 2:20 PM), and 'Last execution status'. On the right, the 'Process histories' section shows a table of successful runs.

Process name	Server	Execution date
▼ Successful (1)		
▼ GraphSync_Synchronize to Exchange (25)		
✓ GraphSyncToExchange_serverProcess	dev	Feb 18, 2026, 2:27:55 PM
✓ GraphSyncToExchange_serverProcess	dev	Feb 18, 2026, 2:20:00 PM
✓ GraphSyncToExchange_serverProcess	dev	Feb 18, 2026, 2:10:00 PM

Dashlet

- The **last runs** from the cyclical server run are displayed.
- The **manually** triggered runs are **not** displayed here.

The Dashlet interface shows two panels. The top panel displays '18/02/2026 14:20' and 'Last process start: synchronize in ADITO'. The bottom panel displays '18/02/2026 14:20' and 'Last process start: synchronize to Outlook'.



To display the correct time in the Manager as well as in the dashlet, the time zones must be configured in the ADITO Designer.

Pending synchronizations to Outlook

Contact	Context	Street	Zip	City	Country	Synchronized with Outlook	
☐ AT Andreas Tannenbaum Industrial Steel AG	Contact	Rathausmarkt 1	20095	Hamburg	DE	No	No
☐ HW Hans Weingartner Meister Messebau GmbH	Contact	Aitrachstraße 7	84130	Dingolfing	DE	No	No
☐ KD Klaudia Daecher JPM Touristik GmbH	Contact	Landshuter Straße 3	84144	Geisenhausen	DE	No	No
☐ PB Peter Bornheimer Bornheimer Maschinenfabrik GmbH	Contact	Peter-Fryns-Platz	53332	Bornheim	DE	No	No
☐ SS Sarah Schäfer Schäferland Handelswelt GmbH	Contact	Oskar-von-Miller-Straße 6	97424	Schweinfurt	DE	No	No

Synchronized searches

Show filter result Remove synchronizations

User Creation date Information Filter

☐ Admin	Feb 18, 2026, 1:43 PM	{\"title\":\"Area management\",\"timestamp\":\"2026-02-18T13:25:29.065306753\",\"search\":{\"type\":\"group\",\"operator\":\"AND\",\"childs\":{\"type\":\"r
☐ Admin	Feb 18, 2026, 2:32 PM	{\"title\":\"Contact per

All synchronized datasets

Contact	Context	Street	Zip	City	Country	Synchronized with Outlook	
☐ AT Andreas Tannenbaum Industrial Steel AG	Contact	Rathausmarkt 1	20095	Hamburg	DE	No	No
☐ HW Hans Weingartner Meister Messebau GmbH	Contact	Aitrachstraße 7	84130	Dingolfing	DE	No	No
☐ KD Klaudia Daecher JPM Touristik GmbH	Contact	Landshuter Straße 3	84144	Geisenhausen	DE	No	No
☐ PB Peter Bornheimer Bornheimer Maschinenfabrik GmbH	Contact	Peter-Fryns-Platz	53332	Bornheim	DE	No	No
☐ SS Sarah Schäfer Schäferland Handelswelt GmbH	Contact	Oskar-von-Miller-Straße 6	97424	Schweinfurt	DE	No	No

Pending datasets

1

Will be deleted

1

Will be updated

19

Will be inserted

18/02/2026 14:20

Last process start: synchronize in ADITO

18/02/2026 14:20

Last process start: synchronize to Outlook

The dashlet provides information about events in the contact synchronization processes. This allows you to view messages, for example, about errors or throttling.

Contact sync log

Date	Priority	Type	User	Info	Errc	
☐ 16.02.2026 14:52:42	High	Manage sync table	hsmith	Error	Z-0-N	A
☐ 16.02.2026 14:52:42	High	Manage sync table	pstrauss	Error	Z-0-N-11-S	
☐ 16.02.2026 14:52:42	High	Manage sync table	ijammeh	Error	Z-0-N-11-S	
☐ 16.02.2026 14:52:42	High	Manage sync table	slustig	Error	Z-0-N-11-S	


Throttling

Procedure for throttling

Throttling occurs when too many requests are sent to MS Graph.

If throttling occurs, the currently running process is terminated. Data that has already been successfully transferred is not affected. Depending on the length of the retry after, the process starts with the next normal process run or is deactivated if the retry after is longer.

- In both cases, an entry is stored in the Contact Sync Log Dashlet.
- If the process is deactivated,
 - users with the 'Internal_Administrator' role are also informed via notification.



- The process must then be restarted manually.

This document is subject to copyright protection. Therefore all contents may only be used, saved or duplicated for designated purposes such as for ADITO workshops or ADITO projects. It is mandatory to consult ADITO first before changing, publishing or passing on contents to a third party, as well as any other possible purposes.



Einzigartige Beziehungen